

INVITATION TO BID

FOR THE

**PROCUREMENT OF TECHNICAL-VOCATIONAL- LIVELIHOOD (TVL)
EQUIPMENT PACKAGES TO PUBLIC SENIOR HIGH SCHOOLS OF THE
DIVISION OF SURIGAO DEL SUR WITH APPROVED BUDGET FOR CONTRACT
WORTH THREE MILLION, NINE HUNDRED THIRTY TWO THOUSAND SEVEN
HUNDRED FIFTY THREE PESOS AND 50/100 (3,932,753.50)**

Stock No.	Unit	Item Description	Quantity	Unit Cost	Total Cost
LOT B: BREAD AND PASTRY PRODUCTION					
1	pc	Air Compressor with Airbrush Cake Decorating Set Ultra-compact airbrush compressor designed for quiet operation Oil-less, maintenance-free design (safe for food applications) Delivers up to 25 PSI (0.4 CFM) of consistent airflow Uses standard 1/8" BSP male outlet to connect to the air hose Operates on 12V DC power (AC adapter provided) Designed for intermittent use (30 minutes of operation followed by a 15-minute cooldown) Includes a nylon air hose with standard 1/8" BSP fittings	8	24,740.50	197,924.00
2	pc	BEATER Type: Beater Main material: Plastic + Stainless steel Color: White Wide operating voltage range: 0- 250V Rated voltage: 220V Rated frequency: 50HZ Speed selection: 0-7 gear Rated power: 100W Hand mixer size: 180 * 70 * 130mm/7.09 * 2.76 * 5.12in	24	5250	126,000.00

3	set	BOARD, CHOPPING, 6 COLOR Type: Cutting Board Body Shape: Rectangular Material: Plastic (Polypropylene), food grade Board Size: Length: 15 inches (minimum) Width: 12 inches (minimum) Thickness: 0.5 inch (minimum) With hole for storage purposes Preferably with packing case Food Grade and Dishwasher Safe	16	2000	32,000.00
4	pc	Boiler, Double Material: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum) Lid material: Glass Riveted handle on both side Diameter: 9 1/2 inches (minimum) Total Height: 9.4 inches (minimum) Inset Bottom Diameter: 9 inches (minimum) Inset Top Diameter: 9 inches (minimum) Capacity: 2 liters (minimum)	16	4319	69,104.00
5	set	BOWL, MIXING (6 PCS/SET) Material: Stainless Steel / Food-Grade Plastic Sizes: Assorted (Small to Large)	32	3,200	102,400.00
6	set	CAKE PANS, ROUND #4,#6, #8, #10, #12, #14, #16 Material: Aluminum or Non-Stick Carbon Steel Sizes: #4: 4-inch diameter #6: 6-inch diameter #8: 8-inch diameter #10: 10-inch diameter #12: 12-inch diameter #14: 14-inch diameter #16: 16-inch diameter	32	1500	48,000.00
7	pc	CAKE STAND, WITH TIER Type: Cake Stand with Tier, food grade Body shape: Circular with 3 tier Material: Hard Plastic, Polypropylene, 4 mm thick The tier consists of the following sizes: Tier 1: 18 cm diameter (minimum) Tier 2: 25 cm diameter (minimum) Tier 3 : 30 cm diameter (minimum) Column diameter: 20 to 30 mm (solid) Distance between tiers: 15 cm Over-all Length: 30 cm (minimum) Assembled column is used for maximum strength and stability of the stand Must be Packed in set Smooth and no sharp edges	64	2750	176,000.00

8	pc	<p>CAKE TURN TABLE Type: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise</p>	40	1,966.70	78,668.00
9	pc	<p>COUPLER Type: Food Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum) Preferably with storage case The materials used must be non-toxic and dishwasher safe</p>	104	229	23,816.00
10	set	<p>CUP, MEASURING (FOR SOLID) Type: Measuring Cup Set Body Shape: Round Material: Stainless steel, 0.7 mm thick (minimum) Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle Strip Handles have provision for hanging Preferably with packing case Smooth surfaces and dishwasher safe</p>	96	585	56,160.00
11	pc	<p>CUP, MEASURING, 250 ML FOR LIQUID Type: Glass V-SHAPED NOZZLE High Quality 3.3 Borosilicate 0ML (2OZ) High Borosilicate Glass Measuring Cup-V-Shaped Spout 120ML (4OZ) High Borosilicate Glass Measuring Cup-V-Shaped Spout 250ML (8OZ) High Borosilicate Glass Measuring Cup-V-Shaped Spout</p>	96	325	31,200.00

12	pc	<p>CUP, MEASURING, 500ML FOR LIQUID Material: Food-Grade Plastic or Stainless Steel Capacity: 500mL (16.9 oz) Graduation Markings: Clearly marked in milliliters (mL) and ounces (oz) for precise measurement Handle: Ergonomic, heat-resistant handle for easy pouring</p>	64	640	40,960.00
13	pc	<p>CUTTER, DOUGH Type: Scrapper Body Shape: Straight Blade Material: Stainless Steel straight blade with stainless steel handle Blade dimension: Length : 15 cm x Width: 11 cm x Thickness: 1.2 mm(minimum) Handle Dimension: Length: 15 cm x diameter: 3 cm (minimum) Preferably with packing case Food grade and dishwasher safe Design allows item to be hung for storage</p>	16	446.00	7,136.00
14	pc	<p>CUTTER, PIE Type: Cutter Product Dimensions 8.8"L x 0.8"W Blade Material Stainless Steel Handle Material Plastic or Stainless Steel or Silicone or Bamboo</p>	96	205	19,680.00
15	pc	<p>FLOUR SIFTER, HAND CRANKED Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Dimension: Diameter: 133.3 mm (minimum) x Height: 165 mm (minimum) Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh # 30 bottom Volume markings should be seen inside and outside of the sifter Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel Preferably with a packing case Dishwasher safe</p>	32	870	27,840.00
16	pc	<p>GRATER Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and Plastic (Polypropylene handle) Grater Dimensions: Height- 25 cm x Width-13 cm x Depth-10 cm (minimum) Side 1: Large-hole shredder with 6 mm hole Side 2: Slicer Side 3: Small-hole shredder with 3 mm hole Side 4: Grater with strips about 1.27 cm to 2.54 cm length Preferably with packing case Food grade & dishwashing safe</p>	64	205.5	13,152.00

17	pc	KNIFE, KITCHEN Material: Stainless Steel Blade with Non-Slip Handle Blade Length: 8-10 inches Purpose: General food preparation	80	279.00	22,320.00
18	pc	Knife, Pallet Material: Stainless Steel Blade with Plastic/Wood Handle Blade Length: 8-12 inches Type: Offset or Straight Blade Purpose: Spreading, smoothing, and decorating cakes	56	255	14,280.00
19	pc	LADLE, 3 OZ Material: Stainless Steel with Heat-Resistant Handle Capacity: 3 oz (90 mL) Purpose: Portioning liquid ingredients such as batters, sauces, and glazes	56	339.5	19,012.00
20	pc	LOAF PAN, BIG Material: Aluminum or Non-Stick Carbon Steel Sizes: Big: 9 x 5 x 3 inches	56	1,233.00	69,048.00
21	pc	LOAF PAN, MEDIUM Material: Aluminum or Non-Stick Carbon Steel Medium: 8 x 4 x 3 inches	56	819	45,864.00
22	pc	LOAF PAN, SMALL Material: Aluminum or Non-Stick Carbon Steel Small: 7 x 3 x 2.5 inches	56	434.00	24,304.00
23	pc	MUFFIN PAN, BIG Material: Non-Stick Carbon Steel or Aluminum Sizes & Capacity: Big: 6-cup jumbo muffin size (3.5-inch diameter per cup)	80	423.00	33,840.00
24	pc	MUFFIN PAN, MEDIUM Material: Non-Stick Carbon Steel or Aluminum Sizes & Capacity: Medium: 12-cup standard muffin size (2.75-inch diameter per cup)	80	375.00	30,000.00
25	pc	MUFFIN PAN, SMALL Material: Non-Stick Carbon Steel or Aluminum Sizes & Capacity: Small: 24-cup mini muffin size (1.5-inch diameter per cup)	120	339.00	40,680.00

26	pc	PIE PAN , 10 INCHES DIAMETER Material: Aluminum or Non-Stick Carbon Steel Diameter: 10 inches	48	1,050.00	50,400.00
27	set	PIE PAN, # 6, #8, #10 Type: Pie Pan Depth: ~1 to 1.5 inches Material Options: Aluminum, non-stick coated steel, glass, ceramic, Depth: ~1.25 to 1.75 inches Material Options: Aluminum, stainless steel, glass, ceramic, Depth: ~1.5 to 2 inches Material Options: Heavy-duty aluminum, glass, ceramic	48	790.00	37,920.00
28	pc	PILLARS, CAKE Material: Food-Grade Plastic or Acrylic Height: 3-10 inches (various sizes) Type: Round	80	450.00	36,000.00
29	pc	PIPING BAG Type : Piping Bag Body Shape: Triangular Material: Transparent Disposable Plastic for dispensing ingredients to pastries Length: 9 inches minimum Width: 3 inches (minimum) Volume: 500 ml (approximate)	536	115.00	61,640.00
30	set	RECTANGULAR PAN, 1 X 8 Material: Aluminum or Non-Stick Carbon Steel Sizes:#6: 6-inch diameter (small pies)#8: 8-inch diameter (medium pies)#10: 10-inch diameter (large pies)	80	370.00	29,600.00
31	pc	ROLLING PINS Classic Wooden (Rod or Handle Type) Standard: 10-18 inches Mini: 7-10 inches (for smaller pastries) Large: 18+ inches (for heavy-duty baking)	56	425.00	23,800.00
32	pc	RUBBER SCRAPER Type: Flat Scraper Small (6-8 inches) – Ideal for small bowls and precise scraping. Medium (9-12 inches) – General baking and mixing. Large (12+ inches) – Good for big batches and cooking.	96	250.00	24,000.00

33	pc	SAUCE PAN Type: Sauce Pan Body Shape: Round Material: Stainless Steel, 0.8 mm thick (minimum) Top Diameter: 30 cm (minimum) Height: 31 cm (minimum) Capacity: 20 quarts (22.7 liters) Oven safe to 350°F and Dishwasher safe. With aluminum disc layer in bottom for even heat (5 mm aluminum	240	490.00	117,600.00
34	pc	SHEET PAN Oven safe up to 450 degrees F; dishwasher-safe for easy cleaning 17.7 x 12.4 x 1.1 inches (LxWxH, baking sheet); 16.7 x 11.7 inches (LxW, cooling rack)	80	417.00	33,360.00
35	set	SPOON, MEASURING Must be branded. SPOON, MEASURING Cookery NC II Type: Measuring Spoon Body Shape: Bowl in shape Material: Stainless Steel, 0.7 mm thick (minimum) The set consists of the following sizes: 1 pc - 1 tbsp. (15 ml) 1 pc - 1/2 tbsp. (7.5 ml) 1 pc - 1 tsp. (5 ml) 1 pc - 1/2 tsp. (2.5 ml)	400	270.00	108,000.00
36	pc	SPOON, WOODEN Type: Wooden Spoon Body Shape: Oval Material: Hardwood Dimensions: Length- 10 inches x Width- 2 inches (minimum) Bowl dimension: Length -3 inches X Width 2 inches X Depth -3/4 inches (minimum) Total Length: 10 inches (minimum) Preferably with a packing case Smooth surface finished and no sharp edges	80	250.00	20,000.00
37	pc	STRAINER Type: Strainer Body Shape: Round Material: Stainless steel Strainer diameter: 20 cm (minimum) Strainer depth: 7 cm (minimum) Handle length: 18 cm (minimum) With 2 mm. (approx.) fine mesh Strainer's two layers of tightly woven mesh catches Handle has provision for hanging Preferably with a packing case Dishwasher safe Must be branded	120	150.00	18,000.00
38	pc	TIP, DECORATING Stainless Steel Color Silver	80	255.00	20,400.00

39	pc	WEIGHING SCALE, 10 KGS Black and Silver Recommended Uses For Product Kitchen Special Feature Lightweight Display Type analog	48	2,500.00	120,000.00
40	pc	WEIGHING SCALE,5 KGS, Type: Mechanical Weighing Scale Body Type: Circular Bowl Material: Stainless Steel bowl and metal body (coated) Mechanism Type: Spring Lever Capacity: 5 kg /11 lb. Sensitivity/Graduated by 10 gm Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and durable Calibrate the scale using the adjustment knob Preferably with a packing case Delivery must include instruction manual written in good English With Service centers located in the major cities in the Philippines Warranty period of 1 year (parts and service) Must be branded	48	1,422.50	68,280.00
41	pc	WIRE WHISK, MEDIUM Type Wire Whisk, medium Body Shape: Ballon Material: Stainless steel wire whisk medium Dimensions (L x W): 25.4 cm x 7 cm (minimum) Handle length: 10 cm (minimum) with hanging loop No. of wires: 6 wires Wire Diameter: 1.8 mm (minimum) Preferably with a packing case Dishwasher safe Must be branded.	80	200.00	16,000.00
		TOTAL			2,134,388.00
LOT E: FRONT DESK OFFICE					
1	pack	First Aide kit (Bandages,Antiseptic wipes, gauze pads,Tape,gloves and pain reliever)	1	₱5,500.00	5,500.00
2	pcs	Megaphone (Long range megaphone) Siren, Aux input,USB/SD port, voice recorder, handy and light weight, 60w , 60 meters range	1	₱9,000.00	9,000.00
3	pcs	Whistle Whistle plus echo whistle black	2	₱300.00	600.00
4	pcs	White Board Magnetic 30x45(cm)	2	₱2,000.00	4,000.00

5	sets	Camera 4K digital camera for photography and video, autofocus anti-shake 48mp vlogging camera, 3" 180 flip screen camera with flash 16x zoom, digital camera with 32GB card battery charger black	1	₱17,600.00	17,600.00
6	sets	Calculator MH-16 BK(Black)	16	₱1,475.00	23,600.00
7	sets	Cart, bell boy Large-1340(L) x 680 (W) x 1930 (H)mm	1	₱29,000.00	29,000.00
8	sets	Cash Register with drawer Logicowl OJ-405C full metal POS cash drawer heavy duty with RJ11 interface	1	₱3,500.00	3,500.00
9	sets	Credit Card imprinter 4850 Flatbed imprinter	1	₱9,500.00	9,500.00
10	sets	Credit Card voucher holder	5	₱500.00	2,500.00
11	sets	Detector, fake bills Philippine counterfeit currency detector cash count statistical amounts with LED display automatic	1	₱11,000.00	11,000.00
12	pcs	Guest follo rack	12	500.00	6,000.00
13	unit	Hypercom T7P T POS credit card terminal with original power supply and box	1	9,732.00	9,732.00
14	unit	Key card marker with verifier	1	4,000.00	4,000.00
15	sets	Safety deposit box/drop vault With LCD electronic lock & 2 backup keys	1	8,500.00	8,500.00
16	unit	Speaker lapel Original trident TP-638 rechargeable lapel mini speaker with mic	37	2,400.00	88,800.00
		TOTAL			₱232,832.00
LOT F: HAIRDRESSING					
1	Pc	Body Brush Prosthetic Material: Stiff nylon Bristle Size: at least 41.8 cm x 6.5 cm (overall size) Brush height: 8mm(minimum) With wooden handle"	15	484.00	7,260.00
3	Pc	Bowl, mixing plastic Material: Plastic Inner Diameter: 10.5 cm (minimum) Height: 6cm (minimum) Thickness is 2mm (minimum) Any Color Non toxic	20	202.50	4,050.00

	Set	Bowl, Shampoo Bowl material: ABS plastic With Adjustable stand (Height: 39 inches to 54 inches) Minimum Bowl Dimensions: 19 inches(L) x 20 inches(W) x 10 inches(H); With Sealed foam rubber neck rest for shampoo bowls With Hose attachment of 7 ft. long(minimum) Stainless steel frame Portable type Packed with shipping carton box Branded	9	9,500.00	85,500.00
4	pc	Brush Applicator Material: Plastic Non toxic Size: Small=190mm length Medium=270mm Large=300mm Handle width:70mm (minimum) Width of tip: 80mm (minimum) With Hair Coloring Dyeing Board Packed with plastic pouch	18	250.00	4,500.00
5	pc	Brush Hair Material: Plastic Bristle Paddle brush type Wooden handle Minimum width: 2 inches Non toxic Packed with protective carton box	15	300.00	4,500.00
6	pc	Cap Frosting, with hook Cap material: Silicone Type:Reusable, perforated cap One size fits all or at least 31cm x 22cm With Pre-cut Tipping Guides With Bleed proof inner liner With a rounded metal hook to pull hair through the ready made perforations Packed with plastic pouch	15	300.00	4,500.00
7	pc	Waterproof cloth Cordless type To fit an average size head (21-24 inches) Stretch Unisex up to 29 inches Hair care treatment styling Reversible and reusable, Non toxic Includes with User's Guide in English that contains: a. Diagram of the parts with their names b. Operating procedure on how to use the equipment c. Safety precaution when using the equipment d. Basic troubleshooting and maintenance procedure	15	1,000.00	15,000.00
8	pc	Cape Polyester cloth Size: at least 125 cm x 140 cm Hairstyling type Non toxic Packed with plastic pouch	24	250.00	6,000.00

9	pc	Chair, Hydraulic Material: Metal base Size: Length 59 cm, width 54 cm, height from 51-78cm Hydraulic pump can be up and down by pedaling Load capacity: 180kg Hydraulic styling chair type Heavy duty hydraulic pump for height adjustable and 360 rotation Hydraulic Pump Build in for Adjusting the Seating Height. With foot rest	21	8,000.00	168,000.00
10	pc	Clamp Material: Plastic Overall length: 9.5cm Thickness: 10mm (minimum) Hairstyling clamp type	15	300.00	4,500.00
11	pc	Clamp, Duck bill Material: Metal Length: 11 cm (minimum) High elasticity stainless steel spring. Non slip handle Packed with plastic pouch Branded	15	300.00	4,500.00
12	pc	Hair Clipper Body material: Hard Plastic Blade material: Carbon Steel Capacity: 6 watts (minimum) Complete with blade guard and 4 comb attachments (#1, #2, #3, #4) Motor: Magnetic type, Corded, 12V AC/DC adaptor Delivers 1,400 Strokes per Minute, With complete accessories including the cleaning brush With cord 2 meters length minimum With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Packed with protective carton box Branded	21	2,700.00	56,700.00
13	pc	Comb, Afro Material: Plastic Size: Over all length at least 7 inches Width: 3.25 inches (minimum) Number of teeth: 12 teeth (minimum); Teeth height: 2.5 10 inches long (minimum)	15	300.00	4,500.00
14	pc.	Comb, All Purpose Material: Plastic Size #3 or at least 18 cm long (minimum) Has both fine and medium teeth position on one side only Height of the teeth: 2 cm (minimum) Non toxic Packed with plastic pouch	15	300.00	4,500.00
15	pc.	Comb, Haircutting Material: Hard plastic Length including the handle: 180mm (minimum) Width: 30mm (minimum) With detachable steel blades and blade holder With two sides for different cuts With extra blades	15	300.00	4,500.00

16	pc.	Comb, Large Toothed Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size:at least 0.3 cm in width x 4cm in length Non toxic Packed with plastic pouch	15	300.00	4,500.00
17	pc.	Comb, Tail Material:Plastic Size: 8 inches(L)minimum x 1 inches (W) minimum Tail length: 4 inches(minimum) Tooth length: 3/4 inch(minimum) Packed with plastic pouch	15	300.00	4,500.00
18	pc.	Comb, Teasing Material:Plastic With 2 rows of teeth 1st row:Large teeth with at least 25 mm long 2nd row: Small Teeth with at least 19 mm long Over-all Comb Size: 20 cm (L) minimum x 3.8 cm (W) minimum Non toxic Packed with plastic pouch	15	300.00	4,500.00
19	pc.	Comb, Wide tooth Material: Plastic Size: at least 15 cm Number of teeth: 10 teeth (minimum) Gap between Comb's teeth: 0.4 to 0.5 cm gap from one another Teeth size:at least 0.3 cm in width x 4cm in length	15	300.00	4,500.00
20	pc.	Crimpers Power: 25 watts(minimum) Size: at least 38 cm x 15.5 cm x 9 cm Maximum temperature: 200 degrees Centigrade With variable heat setting. With On/off switch button Rated voltage: 110-230Volts AC with power cord With plastic handle	15	2,500.00	37,500.00
21	pc.	Curling Iron Ceramic Curling iron Capacity: 65watts Voltage: 210-240Volts AC with power cord Barrel size: 1 inch (minimum) Adjustable heat setting with maximum temperature of 200 degrees Centigrade. Swivel cord up to 360 degree	6	4,500.00	27,000.00
22	pc.	Drip Pan Material: 25-02-022 Hard plastic Size: at least 17.5 x 25.8 x 1 inches Thickness: 1/8 inch (minimum) Shallow rectangular type Packed with carton box	15	300.00	4,500.00

23	pc.	Dryer Hair Power: 1000W Rated Voltage: 220VAC At least (L x W x H): 18.5cm x 16cm x 6.5cm With plastic handle design Packed with carton box with styrofoam holder With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions	3	5,000.00	15,000.00
24	pc	Gloves, Disposable Material: Plastic 10 Size: at least 25cm x 23cm Packaging is 100 pcs per box	15	300.00	4,500.00
25	pc	Gloves Rubber Size: Medium Thickness: 4 mil Acid resistant Packed with plastic pouch in pairs.	15	750.00	11,250.00
26	pc	Gown Smock Material: Polyester Sizes: 1 piece = Small size at least (50 inches x 56 inches); 1 piece= Medium size,at least (52 inches x 58 inches); 1 piece= Large size, at least (54 inches x 60 inches); Packed with plstic pouch per size	15	300.00	4,500.00
27	pc	Hairclips Material: metal Size:at least 67mm x 25-02-027 19mm Non corrosive Packed with plastic pouch	15	300.00	4,500.00
28	pc	Hairnet Invisible Material:Nylon Size: 55mm type (minimum) Stretchable and unisex Color: Black Non toxic Packed with plastic pouch	15	300.00	4,500.00
29	pc	Headband Size: 6 inches (minimum) Woven crochet tube top headband Very stretchy, Soft material, comfortable and breathable	15	300.00	4,500.00
30	pc	Headband Flannel Flannel Cloth Size: at least 45 cm (Unstretched Circumference) Width: 8 cm (minimum)	15	300.00	4,500.00

31	pc	Mirror Hand Mirror size 15 cm diameter (minimum)Frame thickness including mirror glass:6.5mm(minimum)Over-all length with the handle is 20 cm (minimum)Clear Mirror with no distortion (minimum)Frame and handle are made of plasticPlane mirror typePacked with carton box with styrofoam protection	6	1,300.00	7,800.00
32	pc	Mirror Modular Mirror type: plain Imirror Mirror Material: Glass Frame material: Aluminum (cut to fit) Dimensions (HxW): 75 cm x 65 cm (minimum) Mirror thickness: 6mm (minimum)	15	300.00	4,500.00
33	pc	Prong Clip double Material: steel Nickel or chrome base plated Size: 45 mm minimum Hairstyling clip type Packed with plastic handle	15	300.00	4,500.00
34	pc	Prong clip Single Material: steel, plated Size: 55 mm (minimum) Type: Single-prong Clip Packed with plastic pouch	15	300.00	4,500.00
35	pc	Razor straight Blade material: High carbon steel Type: Foldable Straight Razor, replaceable blade; Dimensions (LxW): 14 cm x 2 cm (minimum) when folded; Compatible with double-edged razor blades; Package includes 10 pieces blade/box Non corrosive Branded	21	600.00	12,600.00
36	pc	Roller pins Material: Metal Size: 60mm long (minimum) Application: Hair roller pins Quantity by dozen(12 pieces) Non corrosive Packed with plastic pouch	15	400.00	6,000.00
37	pc	Rollers Large Sized Material: Plastic Size: at least 40mm Diameter x 60mm Long Hairstyling type Packed with plastic pouch	15	400.00	6,000.00

38	pc	Rollers Medium Material: Plastic;Diameter: 38mm (minimum) Length: 58mm (minimum) Hairstyling type Packed with plastic pouch	15	400.00	6,000.00
39	pc	Rollers,Jumbo Material:Plastic approximately 44mm in Diameter x 64mm long	15	400.00	6,000.00
40	pc	Scissor Cutting Material:Stainless steel Total Length: 17cm (minimum) Blade width at least 10 cm Non corrosive Packed with plastic pouch Branded	9	900.00	8,100.00
41	pc	Scoop Material: Plastic Capacity:1/2 cup (minimum) Rounded edges with handle Thickness: 1.5 mm (minimum)	24	300.00	7,200.00
42	pc	Shower Cap Material: Plastic Size: one size fits all or 30cm Reusable and Waterproof Packed with plastic pouch	24	300.00	7,200.00
43	pc	Spatula Material:Plastic Dimension: Over-all length of 7.5 cm long, x 1.5 cm wide (minimum) Application:Hair waxing removal Packed with plastic pouch	24	300.00	7,200.00
44	pc	Spray Bottle Material: Transparent Plastic Capacity: 300ml (minimum) Trigger type Sprayer Dimension: at least Diameter of Bottom is 7 cm and the height is 17cm	24	300.00	7,200.00
45	pc	Steamer Hair Power 450 watts (minimum) Rating is 220 Volts/50- 60Hz Hood material: Polycarbonate Hood has at least 30 cm diameter opening x 25 cm deep Timer setting is up to 60 minutes With at least 32 ounce water reservoir Adjustable height from 100 to 150cm With at least 5 swivel caster With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Branded	15	9,425.50	141,382.50
46	pc	Stool Material: Metal, electroplated Load capacity: 150kg Design: Swivel stool with backrest With Hydraulic lift to adjust height freely. With Thick sponge cushion. With at least four caster wheels. With Thick sponge cushion. Swivel stool with backrest No sharp edges Branded	9	8,950.00	80,550.00

47	pc	Infrared Iron Material: Ionic ceramic tourmaline-infused plates and ABS Plastic body Power: 70 watts (minimum) Power Rating: 220-240 Volts AC; Over-all Size: 24 cm long (minimum) Heating plate size up to 50 mm Heating time: within 30 seconds; Variable Heat settings: From 250 to 450 Degrees Fahrenheit With digital temperature control Safety Mode: Auto shut off after 60 minutes; With swivel cord Comes with storage pouch Branded	27	5,000.00	135,000.00
		TOTAL			970,492.50
LOT G: WELLNESS					
1	pc	Dummy,Anatomical 1. Half Life-Size Muscular Figure Measures 32" tall (minimum). 2. This model features 27 removable parts that are held on by metal, screws, posts and hooks. 3. It shows the muscular system with numbered parts that comes with a corresponding key. 4. It has removable arms, a calvarium, and a removable chest plate that hides the individual numbered organs of the digestive—system. 5. Detachable muscles include: Deltoid, Brachioradialis with extensor carpi radialis longus and brevis, Biceps Brachii, Pronator teres with palmaris longus and flexor carpi radialis, Sartorius Muscle, Rectus Femoris, Extensor Digitorum Longus, Tensor Faciae Latae, Gluteus Maximus, Biceps Femoris, Semitendinosus, Gastrocnemius, Soleus. 6. Removable organs include: Brain (2parts), Lungs (2 parts), Heart (2) , liver, intestines, stomach 7. Base is 13" x 9" (removable) 8. Weighs 12 lbs. (approximately) 9. Plastic material 10. Non toxic material 11. Carton box packaging	3	7,000.00	21,000.00

2	unit	<p>Massage Bed/TableMaterials: Hard wood with steel bracings, Hardwood Frame, Marine Plywood Deck;Color: BlackDimensions: W:75 cm x L:183 cm x H: (adjustable) Height: adjustable from 24 in. - 33in.Leg thickness - 35mm (minimum)Cushion System: High density foam (7.5 cm / 2.95") minimum with PU leather cover (1mm thick)Finishing: Round CornerWeight Capacity: 250 kg(minimum) Gross Weight: 21 kg (Approximate)2 end support bearer to strengthen the base and increase weight capacityAccessories - aluminum headrest (Adjustable) + face plug + armrest + arm sling + carry casePortable and Foldable</p>	18	10,000.00	180,000.00
3	Set	<p>Massage Chair 1. Padded with 3" thick, high-density, small-cell foam 2. Size: 14"-diameter seat (minimum) but without back and arm rest, with metal post and hard plastic star. 3. Pneumatic spring will effortlessly adjust the height from 18" to 24" with the pull of a lever 4. Five heavy-duty, smooth-rolling wheels 5. Load capacity: 265 lbs / 120 kg (maximum) 6. Smooth surface and no sharp edges 7. Any color with one color only for whole lot</p>	9	15,000.00	135,000.00
4	pc	<p>Sphygmomanometer Aneroid Type; (for adult use) Large cuff sizes: 33 to 42 cm arm diameters Accuracy: ±3mm Hg; Measurement range : 0mm Hg to 300mm Hg; Smallest scale: 1mm HgIndex and range markings on the dial for clear readings Nylon cuff is durable and stain resistant with a Velcro closure Inflation system is latex free and has an easy-release deflation valve Chrome-plated brass air release valve; Set includes: 1 unit Sphygmomanometer; 1 zippered nylon carrying case Smooth surface and edges, non toxic material</p>	15	3,000.00	45,000.00

5	pc	<p>Stethoscope Chest-piece Description: Stainless Steel Double Chest Piece Color: Black Tubing Description: Y-tube PVC Uses extra soft replaceable and pivotable Ear Tips The binaural is chromium- plated Chest-piece diameter: 44 mm (minimum) and has non- chill rim Overall Length: 29" /74 cm (minimum) The stethoscope is latex-free Comes with a pair of replacement Ear Tips, a replacement Membrane, and a Name Plate Smooth surface and no sharp edges</p>	21	2,500.00	52,500.00
6	pc	<p>Talking Sphygmomanometer Type: arm type blood pressure monitor (talking english), Nylon cuff sizes: 33 to 42 cm arm dia. LCD Digital Display: Systolic, diastolic, pulse rate with real voice, loud and clear, announcing blood pressure automatically when reading is detected and displayed simultaneously Dimensions: 98mm*126mm*60mm (approximate) Hard plastic casing, smooth surface and no sharp edges, non toxic materials Measurement range : 0mm Hg to 300mm Hg; Smallest scale: 1mm Hg Weight: 450g (approximate) Pressure measurement range: 20~280mmHg(0.4kPa-37.3kPa) Pressure accuracy: ±3mmHg(±0.4kPa) Pulse measurement range: 40 ~199 beats /min Voltage: 4*AAA alkaline batteries or power adapter Certificate: CE ROHS Intelligent automatic pressurization and decompression Incorrect prompting function Automatic shutdown: 1 min after last operation Carton box packaging</p>	12	4,500.00	54,000.00

7	pc	<p>Talking Thermometer Case Material: Hard plastic Sensing unit: Thermistor Measurement method: Actual measurement Measurement Range: 32 C - 42 C (89.6F-107.6F) Measurement Accuracy: ± 0.1C 32C-42.0C (± 0.2 F 89.6.9F-107.6F) Power Supply: 1.5V DC, LR41 Alkaline-Magnesium button battery Real voice (loud and clear in english) announces temperature automatically when reading is detected Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree increment Dimension Approx.: 2.0 (W) x 4.4 (H) x 1.2 (D) inches (not including probe) / 51 (W) x 110 (H) x 30 (D) mms (not including probe) Choices in degrees Celsius or Fahrenheit Talk button repeats last temperature reading Last reading memory Auto switch off Accessories: Protective case, 5 probe covers, instruction sheet Paddle shape with sensor on small end</p>	15	3,000.00	45,000.00
8	pc	<p>Thermometer, Digital Case Material: Hard plastic Sensing unit: Thermistor Measurement method: Actual measurement Measurement Range: 32 C - 42 C (89.6F-107.6F) Measurement Accuracy: ± 0.1C 32C-42.0C (± 0.2 F 89.6.9F-107.6F) Power Supply: 1.5V DC, 1 LR41 Alkaline-Magnesium button battery when measured at a standard room temperature of 23 deg C (73.4 deg F) in a test tank held at constant temperature Power consumption: 0.1mW Low battery indication: Battery symbol displayed Temperature display: 3-digit, +deg C (deg F) display in 0.1 degree increment Memory: Last measuring reading Beeper function: 1 beep when power on 3 beeps after measurement completed External Size (mm): 19.4(W) × 132.5 (L) × 10.0(D) Accessories: Protective case, test battery, 5 probe covers, instruction sheet Paddle shape with sensor on small end</p>	27	600.00	16,200.00

9	pc	White Board White board, floor standing, rollingBoard: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H,Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner capsComes with Metal Tray for Marker and EraserThe stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobbleWith 4 lockable hard plastic caster wheels Overall Height from floor: 210 to 214cmSmooth surface, no sharp edges	3	15,447.00	46,341.00
		TOTAL			595,041.00
		OVER -ALL TOTAL			3,932,753.50

Bids received in excess of the ABC for each lot shall be automatically rejected at bid opening.

1. The DepEd, through the Bids and Awards Committee (BAC), now invites bids for the above Procurement Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
2. Bidding will be conducted through open competitive bidding procedures using non-discretionary “pass/fail” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
3. Bidding is restricted to Filipino citizens/sole proprietorships, cooperatives, and partnerships or organizations with at least seventy five percent (75%) interest or outstanding capital stock belonging to citizens of the Philippines.
4. Interested bidders may obtain further information from the DepEd Schools Division Office Surigao del Sur at Telephone/Cellphone No. 09853432707 and inspect the Bidding Documents at the address indicated herein for issuance of Bidding Documents during office hours.
5. Prospect Bidder must submit product samples that can be hand-carried. For heavy equipment, actual samples are not required, but bidders must provide clear pictures of the items being offered. All submissions must include a valid Certificate of Distributorship or Dealership from the manufacturer, or any similar document proving the product's authenticity and quality. Failure to comply will result in disqualification.
6. For those who are interested to purchase the Bidding Documents, a complete set of Bidding Documents shall be acquired from July 10, 2025 to July 22, 2025 by interested Bidders from the Bids and Awards Committee Secretariat DepEd SDO – Surigao del Sur only, upon accomplishing a bidder's information sheet and payment of a non-refundable fee for the Bidding Documents to the DepEd Cashier. Amount of Bidding Documents shall be as follows:

LOT B- Php. 5,000.00
LOT E- Php. 500.00
LOT F- Php. 1,000.00
LOT G- Php. 1,000.00

7. The Department of Education - Surigao del Sur Division will hold a Pre-Bid Conference on July 10, 2025 (Thursday) 1:30 PM; 3rd Floor, Division Office Conference Hall, Balilahan, Mabua, Tandag City and through video conferencing or webcasting via <https://tinyurl.com/z4fw63rf> which shall be open to prospective bidders.
8. Prospective Bidders who intend to participate are required to communicate with the BAC Secretariat through email at surigaodelsur.procurement@deped.gov.ph for confirmation and accomplish the Online Pre-bid Conference Form provided (Annex B) on or before July 10, 2025 (Thursday) 1:30 PM Upon receipt of this form, the BAC Secretariat will send the link of the meeting.
9. Submission of Bids must be dropped at the drop box provided at 3rd Floor Conference Hall DepEd Surigao del Sur Division, Balilahan, Mabua, Tandag City July 22, 2025 (Tuesday), at exactly 1:30 PM, Philippine standard time. Late bids shall not be accepted.
10. Drop off point of all items “ please refer to the attach distribution list for the designated drop-off points”
11. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.
12. Bid opening shall be on July 22, 2025 (Tuesday), at exactly 2:00 PM; 3rd Floor, Division Office Conference Hall, Balilahan, Mabua, Tandag City. Bids will be opened in the presence of the bidders’ representatives who choose to attend the activity and also via Microsoft teams <https://tinyurl.com/4jb7x5ae> For the purpose of constituting a quorum, both the physical and virtual presence of the BAC and TWG members shall be considered pursuant to GPPB Resolution No. 09-2020.
13. The DepEd - *Surigao del Sur Division* reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
14. For further information, please refer to:
BAC SECRETARIAT
Balilahan, Mabua, Tandag City
surigaodelsur.procurement@deped.gov.ph
09853432707
depedsurigaodelsur.com
15. You may visit the following websites:
For downloading of Bidding Documents:
<https://notices.philgeps.gov.ph/>
<https://www.deped.gov.ph/>

Date: July 02, 2025

LAILA F. DANAQUE, EdD, CESO VI
(SGD)
Chairperson